

CEPSA DESENGRASANTE MARINO

Description



Product specifically formulated for use in the cleaning of metal surfaces of tanks, plates, machinery, bilges, etc. of ships. Formulated with high purity aliphatic solvents and selected surfactants.

Properties

- Excellent emulsifying and dispersing capacity.
- Total stability of emulsions formed.
- High level of detergency and dispersancy to ensure efficiency in cleaning.
- Not compatible with joints, seals and plastic compounds.

How to use

• Directly without diluting on the metal surface to be treated.

Typical Characteristics

CHARACTERISTIC	UNITS	METHOD	CEPSA DESENGRASANTE MARINO
Density at 15 °C	Kg/l	ASTM D-4052	0.782
Flash Point, COC	°C	ASTM D-92	100
Pour Point	°C	ASTM D-5950	-15
Viscosity at 40 °C	cSt	ASTM D-445	2.22
Viscosity at 100 °C	cSt	ASTM D-445	0.97
Total Acid Number (TAN)	mg KOH/g	ASTM D-664	0.04
рН	-	-	9.9
Aromatics	%	-	<1

Health & Safety and Environment

There is a corresponding Safety Data Sheet that complies with the current legislation, providing information on product hazards, handling precautions, first aid measures, and available environmental data.

The typical values of the characteristics appearing in the table are average values given for guidance purposes only and do not constitute a guarantee. These values may be modified without any prior warning.